	Application No.	Applicant(s)		
Notice of Allowability	09/964,505	REPOUZ, ENRICO NOJKO		
	Examiner	Art Unit		
	Brian Ensey	2643		
The MAILING DATE of this communication appearable communication appe	(OR REMAINS) CLOSED or other appropriate comm IGHTS. This application is	in this application. If not include nunication will be mailed in due	ded e course. <b>THIS</b>	
1. This communication is responsive to <u>application filed 09/20</u>	<u>8/01</u> .			
2. X The allowed claim(s) is/are <u>1-31</u> .				
3.  The drawings filed on 28 September 2001 are accepted by	the Examiner.			
<ul> <li>4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the:  1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> <li>5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which giv</li> <li>6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date</li></ul>	e been received. e been received in Applicat cuments have been receive  of this communication to fi MENT of this application.  nitted. Note the attached Exes reason(s) why the oath est be submitted. son's Patent Drawing Reviews as Amendment / Comment (1.84(c)) should be written on	ion No  ed in this national stage applicated in this national stage applicated in the result of the arresponding with the result of the drawings in the front (not the discontinuous control of the drawings in the front (not the discontinuous control of the drawings in the front (not the discontinuous control of the drawings in the front (not the discontinuous control of the discontin	equirements NOTICE OF	
DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MA	TERIAL must be submitted.	. Note the	
Attachment(s)				
1. Notice of References Cited (PTO-892)		Informal Patent Application (P	10-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper No	6. ☐ Interview Summary (PTO-413), Paper No./Mail Date		
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/I Paper No./Mail Date 01/22/02</li> </ol>	08), 7. Examiner	s Amendment/Comment		
4.   Examiner's Comment Regarding Requirement for Deposit	8. 🛭 Examiner	s Statement of Reasons for A	llowance	
of Biological Material	9. ☐ Other St	CHATIS KUNTZ  IPERVISORY PATENT EXAMM  TECHNOLOGY CENTER 2601		

## **DETAILED ACTION**

Page 2

The following is an examiner's statement of reasons for allowance: The present invention is directed to an acoustical speaker apparatus. Each independent claim identifies the uniquely distinct feature of a tweeter and cross-over component coupled to the grill in a second opening of a two pieced, generally spherical housing wherein the opening is located at or near the vertex of the respective housing half. The closest prior art, Choi et al. (US 6,009,972) teaches an omnidirectional speaker system in a spherical housing and Lahti (US 3,812,301) teaches a spherical loudspeaker. The prior art fails to anticipate or render the independent claims obvious.

The following references were cited: Fujita (US 3,735,041) teaches a spherical cabinet for electronic communication apparatus; Copetti (US 6,705,426) teaches a parabolic shaped acoustic diffuser; and Ishii et al. (US 3,720,787) teaches an omni-directional globular speaker system.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian Ensey whose telephone number is 571-272-7496. The examiner can normally be reached on Monday - Friday 6:30 AM - 3:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Curtis Kuntz can be reached on 571-272-7499. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/964,505 Page 3

Art Unit: 2643

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks Washington, D.C. 20231

Or faxed to:

(703) 872-9306, for formal communications intended for entry and for informal or draft communications, please label "PROPOSED" or "DRAFT".

Hand-delivered responses should be brought to: Customer Service Window, Randolph Building, 401 Dulany Street, Arlington, VA 22314

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

BKE April 28, 2005

SUPERVISORY PATES

TECHNO!